

**REQUEST FOR EXPRESSION OF INTEREST FOR PROVISION OF SIGNAGE DESIGN AND PRODUCTION****REFERENCE NO.: CPP-PROC-TZ-066-0926-C1C4**

China Petroleum Pipeline Engineering Co., Ltd. (hereinafter abbreviated as CPP) as Pipeline, Feederline & Above Ground Installation Contractor for the East African Crude Oil Pipeline (EACOP) Project invites experienced and reputable Contractors to express their interest in providing **Signage design and production** to the EACOP Project.

The EACOP Project involves the construction and operation of an underground and cross-border pipeline to transport crude oil for export to international markets. The pipeline will run from Kabaale, Hoima District in Uganda to the Chongoleani peninsula near Tanga in Tanzania. The length of the pipeline is 1,443 km, of which 1,147 km will be in Tanzania.

**BRIEF DESCRIPTION OF THE SCOPE OF THE SERVICES:**

- ♦ Suppliers should be able to design visual signs in both English and Swahili. Please find attached (Appendix 3) for more details.

**MINIMUM REQUIREMENTS:**

**Companies or organizations expressing their interest are invited to document their request with:**

- Proof of registration with the Tanzania Revenue Authority (TRA).
- Proof of registration/application to the EWURA Local Supplier Service Provider (LSSP) database at the time of submission of the response to this expression of interest is strongly recommended.
- Compliance with Petroleum (Local Content) Regulations, 2017, and Local Company definition for Tanzania.
- Fully filled Key personnel list with CV (Appendix1) in requested format. (Blank is regarded as an unqualified item.)
- Similar project experience within the last three years (Appendix 2) in the requested format.
- Deliver the goods in 2 weeks after signing the contract.
- Tax Clearance Certificate for the latest year available.

Companies which have the ability, capacity, and resources to implement the activities listed above should express their interest by sending together with the documents stated in the above section through an email to [supplierdata1@cpptz.com](mailto:supplierdata1@cpptz.com) (Max. Email Size: 20 MBs, all documents must be submitted in the English language) on or before **24:00 hours East African Time (EAT), on 11<sup>th</sup> October 2023. The subject of the email should be "EOI for CPP-PROC-TZ-066-0926-C1C4-COMPANY NAME". CPP reserves the right not to consider companies that submit an incorrect email subject and the incorrect format of Appendix 1, 2, and 3.**

The **format** of the required documents and **relevant technical requirements** which are mentioned in Minimum Requirements should be **downloaded from EACOP's website**

( <https://eacop.com/opportunities-by-main-construction-contractors/china-petroleum-pipeline-engineering-co-ltd/>).

**Note:** CPP will review and assess the documents provided by companies that have expressed interest in accordance with this EOI and conduct evaluations based on internal criteria to determine which companies will be included in the list of pre-qualified companies. Only the pre-qualified companies will receive, by signing a Non-Disclosure Agreement (NDA), an invitation to bid as a continuation of the call for tender process. CPP reserves the right at its sole discretion to make the decision to select or reject a company and maintain its decision.

**APPENDIX 1 List of the Key Personnel**

No.	Title	Name	Years of Experience	Qualification Certificates		Location	Notes
				Name of the Certificate	Certificate No.		

Notes: pls attach the CV & scanned copies of certificates etc.

**APPENDIX 2 List of similar supplying experience**

Client	Contact Information of Client (Email/Phone number)	Location	Years	Name of the Project	Scope of Work	Status of the Project (Completed / Ongoing)	Bidder's Contract Value	Notes

Notes:

1. Please attach following documents: scanned CONTRACT for completed project or LETTER of AWARD for ongoing projects, completion certificate (if any), appreciation letters (if any) etc.
2. The information of the PROJECT mentioned above may be confirmed by CPP with the assistance of EACOP COMPANY.

APPENDIX 3 Basic Description and Requirement of Materials

S/N	English	Swahili	Specification(mm)	Basic Technique Requirement	Picture of Sample
1	Danger Overhead Power Lines	Hatari Nvaya za umeme juu	420x297		
2	Buried Cable	Kebo imefukiwa chini	420x297		
3	Buried Pipe	Bomba limefukiwa chini	420x297		
4	Buried Optical Cable	Kebo ya mawasiliano imefukiwa chini	420x297		
5	No Smoking No Cell Phone No Camera	Hairuhusiwi kuvuta sigara Hairuhusiwi kutumia simu Hairuhusiwi kupiga picha	420x297		
6	Fuel Storage Area	Eneo la Kuhifadhi Mafuta	420x297		
7	Temporary Material Storage Area	Eneo la Muda la Kuhifadhi nyenzo	420x297		
8	Prefabricated Area	Eneo la lililojenga la muda	420x297		
9	Spool Area	Eneo la kuhifadhi mabomba vipande vya mabomba	420x297		
10	Caution Wet Floor	Tahadhari sakafu ina maji	297x420		
11	Oil Area	Eneo la mafuta	420x297		
12	Metal Scrap	Chuma chakavu	420x297		
13	Fire Blanket	Blanketi la moto	297x420		
14	Site Safety Mandatory All Visitors Must Report To Site Office  Hard Hats  High Visibility Vest  Safety Glasses  Safety Shoes  Ear Protection  Hand Protection	Taratibu za usalama za lazima eneo la kazi  Wageni wote wanapaswa kuripoti Ofisini  Kofia ngumu  Viakisi mwanga  Miwani ya Usalama  Viatu vya usalama  Ulinzi wa masikio  Ulinzi wa Mikono	700x1500		
15	Caution <u>Electric Shock</u>	Tahadhari Mshtuko wa umeme	297x420		
16	Keep Locked	Ifungwe	297x420		
17	No Switching On	Hakuna Kuwasha	297x420		
18	Unauthorized Operation Prohibited	Shughuli zisizoruhusiwa zimezuwa	297x420		
19	High Voltage	Msongo Mkubwa wa Umeme	420x297		
20	Caution Trailing Cables	Mkanda wa tahadhari	297x420		
21	Electrical Equipment Authorized Personnel Only	Vifaa vya umeme Wahusika Tu	420x297		
22	No Entry Without Mask	Hakuna kuingia bila kuvaa barakoa	420x297		
23	Wash Hands Frequently To Prevent Covid-19	Nawa mikono mara kwa mara ili kuzuia korona	420x297		
24	Temporary Isolation Zone	Eneo limetengwa kwa Muda	420x297		
25	Mask Distribution	Usambazaji wa Barakoa	420x297		
26	Please Wear A Mask	Tafadhali vaa Barakoa	420x297		
27	Temperature Measurement Location	Eneo la Upimaji wa Joto la Mwili	420x297		
28	Disinfected Today	Walioambukizwa Leo	420x297		
29	Abnormal Body Temperature is Forbidden To Enter	Mtu Mwenye Joto la Mwili lisilo la kawaida ni Marufuku Kuingia	420x297		
30	Waste Mask	Barakoa zilizotumika	297x420		
31	Disinfect Hand Washing Area	Dawa ya kuua viini Eneo la kunawa mikono	420x297		
32	CPP LOWER-IN CREW	Kikundi cha ujenzi cha CPP	420x297		
33	CPP BENDING CREW	Kikundi kukunja bomba CPP	420x297		
34	Rolling Pipe	Bomba Lililozungushwa	420x297		
35	Bending Pipe	Bomba lililokujwa	420x297		
36	CPP TRENCH EXCAVATION CREW	Kundi la wachimba mtaro la CPP	420x297		
37	Smoking Area	Eneo la Kuvuta Sigara	420x297		
38	Rest Area	Eneo la Kupumzika	420x297		
39	Emergency Assembly Point	Eneo la kukusanyika kwa Dharura	420x297		
40	No Entry	Hakuna Kuingia	420x297		
41	Authorized Personnel Only	wahusika tu	420x297		
42	Parking	Eneo la Maegesho ya magari	420x297		

43	Entrance	Kuingia	420x297	
44	Exit	Kutoka	420x297	
45	Caution Men At Work	Tahadhari Watu Kazini	297x420	
46	Construction Schedule	Ratiba ya Ujenzi	420x297	
47	Safety Instructions 1. Everyone Shall Have To Wear PPE Properly When Entering Into Work Sites. 2. Please Keep A Safe Distance Between Heavy Equipment, And Do Not Stay Or Pass Under The Boom. 3. Please Pay Attention To Protecting The Environment And Do Not Drop Litter. 4. Please Smoke In The Designated Area. 5. Entering Into Site Must Comply With Requirements Of The Territorial Supervisor And H3SE Supervisor	Maelekezo ya usalama 1. Kila mtu atalazimika kuvaa vifaa vya kinga kwa usahii wakati wa kuingia eneo la kazi. 2. Tafadhali Weka Umbali Wakutosha Kati ya vifaa na mitambo, Na Usikae Au Kupita Chini ya mashine 3. Tafadhali linda mazingira na usitupe taka ovyo. 4. Tafadhali Vuta Sigara Katika Eneo Lililotengwa.. 5. Usiingie eneo la ujenzi bila kukidhi masharti toka kwa msimamizi wa eneo na msimamizi wa kitengo cha afya na usalama	600x1000	
48	Rest Shelter	Sehemu ya Kupumzika	420x297	
49	Personal Vehicles Not Allowed At The Construction Site	Magari binafsi hayaruhusiwi eneo la ujenzi	420x297	
50	Warning Danger	Tahadhari Hataari	297x420	
51	Warning Overhead Obstacles	Tahadhari Vikwazo vya juu	297x420	
52	Warning Scald	Tahadhari inaanguza	297x420	
53	Warning Hands Injury	Kuwa makini usiumie mkono	297x420	
54	Warning Hand Pinching	Kuwa makini usijibane mkono	297x420	
55	Warning Sharp Edges	Kuwa makini na vitu vyenye ncha kali	297x420	
56	Warning Hot Surface	Tahadhari kuna moto	297x420	
57	Warning Obstacles	Tahadhari Vikwazo	297x420	
58	Lock Out & Tag Out	Funga Nje & Tagi nje	420x297	
59	SAFETY RECORD	REKODI YA USALAMA	1000x600	
60	High Pressure	Shinikizo la juu la hewa	420x297	
61	Compressed Air	Hewa iliyokamilika	420x297	
62	CPP HYDROTESTING CREW	Kundi la upimaji bomba CPP	420x297	
63	Nitrogen In Use	Gesi ya nitrojeni inatumika	420x297	
64	Warning Danger	Tahadhari Hataari	297x420	
65	Hydrotest In Progress Please Keep Away	Upimaji wa bomba unaendelea tafadhali kaa Mbali	420x297	
66	Keep Away	Kaa mbali	420x297	
67	Hydrotest In Progress	Upimaji bomba unaendelea	420x297	
68	Air Blowing Please Keep Away	Kusafisha kwa njia ya upepo wenye kasi kubwa Kaa mbali	420x297	
69	High Pressure Authorized Personnel Only	Shinikizo la juu la hewa Wahusika Tu	420x297	
70	Open Trench	Mfereji wa wazi	420x297	
71	Dropping Zone	Eneo la kuangukia vitu	420x297	
72	Warning Landslide Area	Tahadhari Eneo la maporomoko ya ardhi	297x420	
73	Deep Excavation	Uchimbaji wa kina	420x297	
74	Distance Between Equipment Not Less Than 1.2 M	Umbali kati ya vifaa si chini ya 1.2 m	1000x200	
75	Strictly Forbidden To Stand Within Rotation Radius	Marufuku Kusimama ndani ya eneo la mzunguko a vifaa	840x297	
76	Strictly Forbidden To Stand Under The Boom	Marufuku kabisa Kusimama Chini ya mashine	1000x100	
77	Caution Heavy Equipment	Tahadhari Vifaa vizito	420x297	
78	Construction Area Watch For Moving Equipment	Eneo la Ujenzi kuwa makini na vifaa Vinavyotembea	420x297	
79	Do Not Use Equipment Under Repair	Usitumie Vifaa vinafanyiwa ukarabati	420x297	
80	Operation Prohibited	Uendeshaji umezuiwa	297x420	
81	Warning Mechanical Injury	Tahadhari ya kuumizwa na mitambo	297x420	
82	Heavy Equipment Operations In Area	Uendeshaji wa mitambo mikubwa	420x297	
83	Out of Service	Haitumiki/haifanyi kazi	420x297	
84	Forbidden to start	Marufuku kuwasha	297x420	
85	Warning Beware of Forklift	Tahadhari Jihadhari na Kifaa cha kubebea mizigo	297x420	
86	Warning Watch Out For Vehicles	Tahadhari Kuwa makini na Magari	297x420	
87	Authorised Operators Only	walioidhinishwa kuendesha tu	420x297	
88	Cleaning and Grading Row CREW	kikundi cha kusafisha na kuweka alama	420x297	
89	Oxygen	Gesi ya Oksijeni	420x297	

90	Acetylene	Gesi ya acetylene	420x297		
91	Argon	Gesi ya argoni	420x297		
92	Carbon Dioxide	Gesi ya Karbon Dioxide	420x297		
93	Mixed Gas	Gesi zilizochanganyika	420x297		
94	Empty Cylinders Storage Area	Eneo la kuhifadhi mitungi mitupu	420x297		
95	Pressurized Cylinders Storage Area	Eneo la Hifadhi ya Mitungi iliyojazwa	420x297		
96	Liquefied Gas	Gesi iliyo kwenye mfumo wa kimiminika	420x297		
97	Pressurized Cylinders	Mitungi iliyoshinikizwa	100x60		
98	Empty Cylinders	Mitungi mitupu	100x60		
99	In Use	Katika matumizi	100x60		
100	Striking/Hitting Strictly Prohibited	Marufuku Kugoma/Kupiga	420x297		
101	Trolley For Oxygen Cylinder Please Keep A Safe Distance Of 5 M. Flammable Gas Should Be Kept 10 M Away From The Fire Source	Toroli la Mitungi ya Oksijeni Tafadhali Weka Umbali Salama wa Mita 5. Gesi ya moto inapaswa kuwekwa umbali wa mita 10 kutoka chanzo cha moto	297x420		
102	Trolley For Acetylene Please Keep A Safe Distance Of 5 M. Flammable Gas Should Be Kept 10 M Away From The Fire Source	Toroli la gesi ya Acetylene Tafadhali Weka Umbali Salama wa Mita 5. Inapaswa kuangaliwa Mita10 kutoka chanzo cha moto	297x420		
103	Trolley For Argon Please Keep A Safe Distance Of 5 M. Flammable Gas Should Be Kept 10 M Away From The Fire Source	Toroli la gesi ya Argon Tafadhali kaa umbali wa Mita 5. Gesi yenye hatari ya kulipuka inapaswa kuwekwa umbali wa mita 10 kutoka chanzo cha moto	297x420		
104	Trolley For Carbon Dioxide Please Keep A Safe Distance Of 5 M. Flammable Gas Should Be Kept 10 M Away From The Fire Source	Toroli la gesi ya Carbon Dioxide Tafadhali Zishikilie Ukosefu wa Safe wa Gasi 5 M. Inapaswa kuangaliwa 10 M kutoka chanzo cha moto	297x420		
105	Trolley For Mixture Gas Please Keep A Safe Distance Of 5 M. Flammable Gas Should Be Kept 10 M Away From The Fire Source	Toroli la gesi ya zilizochanganywa Tafadhali Weka Umbali Salama wa Mita 5. Gesi inayoweza kuwaka inapaswa kuwekwa umbali wa mita 10 kutoka chanzo cha moto	297x420		
106	Cylinders Must Be Chained /Locked	Mitungi Lazima Ifungwe vizuri	297x420		
107	Trolley For Liquefied Gas	Toroli la Gesi iliyo kwenye mfumo wa kimiminika	297x420		
108	High Noise Area Hearing Protection Must Be Worn	Eneo la Kelele za Juu Vifaa kinga vya masikio lazima vivaliwe	420x297		
109	CPP COATING CREW	Kikundi ya upakaji rangi CPP	420x297		
110	Blasting Area Stay Away	Eneo la mlipuko Kaa Mbali	420x297		
111	Mixed Paint	Rangi mchanganyiko	420x297		
112	Intermediate Paint	Rangi ya kati	420x297		
113	Epoxy Primer	Epoxy Primer	420x297		
114	Caution Acid	Tahadhari Asidi	297x420		
115	Primer	Rangi ya mwanzo	420x297		
116	Finish Coat	Rangi ya juu/mwisho	420x297		
117	Eye Wash	Kiosha Macho	297x420		
118	First Aid	Huduma ya Kwanza	297x420		
119	Emergency Shower	Bafu la dharura	297x420		
120	Harmful Noise	Kelele zenye madhara	297x420		
121	Pay Attention To Dust	Zinga vumbi	297x420		
122	CPP TIE-IN CREW	Kundi la CPP	420x297		
123	Caution Noise Hazard Hearing Protection Equipment Must Be Worn	Tahadhari Hatari ya kelele Vifaa vya ulinzi wa masikio lazima vivaliwe	420x297		
124	No Drinking Water	Hakuna maji ya kunywa	297x420		
125	Drinking Water Station	Kituo cha maji ya kunywa	420x297		
126	Respiratory Protection Required Beyond This Point	Ulinzi wa mfumo wa kupumua unahitajika zaidi ya hatua hii	420x297		
127	Full Body Harness Required	Ulinzi wa mwili mzima unahitajika	420x297		
128	Out of Service Do Not Use Damaged Ladders	Hakuna Huduma Usitumie Ngazi Zilizoharibika	420x297		
129	PPE Must Be Worn	Vifaa binafsi vya kujikinga lazima vivaliwe	420x297		
130	Eye, Ear Protection And Respirators Must Be Worn	Vifaa vya ulinzi wa Jicho, Masikio na Upumuaji Lazima Uvialiwe	420x297		
131	Caution High Temperature	Tahadhari Joto kali	297x420		

132	Paint Storage Area No Smoking Or Open Flames In This Area	Eneo la kuhifadhi rangi Hakuna Uvutaji Sigara Wala Moto Wazi Katika Eneo Hili	420x297		
133	Chemical Storage Area	Eneo la kuhifadhi kemikali	297x420		
134	Storage Room	Chumba cha kuhifadha	420x297		
135	Chemical Substance	Dawa ya Kemikali	420x297		
136	Material Area	Eneo la vifaa	420x297		
137	Material Storage Area	Eneo la kuhifadhi vifaa	420x297		
138	Warehouse Authorized Personnel Only	Ghala Wahusika Tu	420x297		
139	Access Road Civil Crew	Kundi la wajenzi wa barabara	420x297		
140	Danger Incomplete Scaffolding	Hatari Kiunzi Hakiakamiliika	297x420		
141	Scaffolding Erection In Progress	Uchomekaji wa viunzi unaendelea	420x297		
142	Do Not Alter Or Move Scaffold While In Use	Usibadilishe au kusogeza kiunzi kikiwa katika matumizi	420x297		
143	Hard Hats And Fall Protection Required While Working On Scaffolding	Kofia Ngumu vifaa vya kujikinga kuanguka vinahitajika wakati wa kufanya kazi kwenye viunzi	420x297		
144	Road Ahead Closed Please Use Detour	Barabara Mbele imefungwa. Tafadhali tumia njia ya mchepuko	420x297		
145	Construction Ahead	ujenzi unaendelea	420x297		
146	Deep Excavation Ahead	Uchimbaji wa kina mbele	420x297		
147	Construction Ahead Please Drive Slowly	Ujenzi Mbele Tafadhali Endesha Polepole	420x297		
148	Slow	Polepole	420x297		
149	Turn Left	pita kushoto	297x420		
150	Turn Right	pita kulia	297x420		
151	Speed-Limit 20	Ukomo wa mwendokasi	500x500		
152	No Motor Vehicle Allowed To Pass	Magari hayaruhusiwi kupita	297x420		
153	Speed-Limit 25	Mwendokasi-Kikomo 25	500x500		
154	Stop	Simama	500x500		
155	Speed-Limit 40	Mwendokasi-Kikomo 40	500x500		
156	Detour Ahead	Njia ya mchepuko mbele	420x297		
157	Detour Ahead 100M	Njia ya mchepuko mbele Mita 100	420x297		
158	Speed Humps Ahead	matuta ya kupunguza mwendo mbele	297x420		
159	Warning Watch out for Trains	Tahadhari ihadhari na Treni	297x420		
160	Detour Ahead 200M	Njia ya mchepuko mbele Mita 200	420x297		
161	Detour Ahead 300M	Njia ya mchepuko mbele Mita 300	420x297		
162	CPP TRENCH BACKFILLING CREW	CCP-Kikundi cha kufukia mferaji	420x297		
163	Recyclable Substance	Dutu inayoweza kutumika tena	420x297		
164	Non-Recyclable Substance	Dutu isiyoweza kurejelezwa	420x297		
165	Practice Good Housekeeping	Fanya mazoezi ya utunzaji na mpangilio mzuri	297x420		
166	Keep Area Clean	Weka eneo safi	420x297		
167	Animal Entry Prohibited	Wanyama marufuku kuingia	297x420		
168	Animal Access Route	Njia ya kupita wanyama	297x420		
169	Hazardous Waste	Taka Hatarishi	420x297		
170	Used Hazardous Chemical Barrels	Mapipa ya kemikali hatari yaliyotumika	420x297		
171	Empty Oil Barrels	Mapipa matupu ya mafuta	420x297		
172	Full Oil Barrels	Mapipa Yaliyojaa mafuta	420x297		
173	Contaminated Soil	Udongo uliochafuliwa	420x297		
174	Waste Disposal Area	Eneo la kutupa taka	420x297		
175	Warning Beware of Poisoning	Tahadhari Jihadhari na sumu	297x420		
176	Spill Response Equipment	Vifaa vya Kukabiliana na Umwagikaji	420x297		
177	Animal Protection	Ulinzi wa wanyama	420x297		
178	Protect Wild Plants	Linda Mimea Pori	297x420		
179	GENTS TOILET	choo cha wanaume	150x200		
180	LADIES TOILET	choo cha wananwake	150x200		
181	EMERGENCY SPILL KIT	kifaa cha dharula wakati wa mmwagigo	297x420		
182	WORK SAFETY	usalama wa kazi	420x297		
183	WASH YOUR HANDS	nawa mikono yako	297x420		
184	PAPER/ CUPBOARD WASTE	uchafu wa karatasi	297x420		
185	DOMESTIC WASTE	Taka za ndani	420x297		
186	HAZARDOUS WASTE	TAKA HATARISHI	297x420		

187	PLASTIC WASTE	taka za plastiki	297x420		
188	ORGANIC WASTE	Taka za mimea/wanyama	420x297		
189	CPP WELDING CREW	Kundi la kuchomelea la CPP	420x297		
190	Must Wear Safety Helmet Must Wear Safety Shoes Must Wear Protective Clothes  Caution Danger! High Voltage Caution, Arc Flash Caution, Mechanical Injury Caution, High Temperature Surface No Smoking	Lazima Uvae Kofia Ngumu ya Usalama Lazima Uvae Viatu vya Usalama Lazima uvae nguo za kujikinga  Tahadhari Hatari! Msongo Mkubwa wa Umeme Tahadhari, tao ya kumlika Tahadhari, Jeraha la mitambo Tahadhari, Sakafu ya moto Hakuna kuvuta sigara	297x420		
191	Welding Area	Eneo la kuchomelea	420x297		
192	Beware of Welding Arc Flash	Jihadhari na mionzi ya kuchomelea	297x420		
193	Heat Source Keep Away	Chanzo cha joto Weka mbali	420x297		
194	Confined Space	Mazingira hatarishi ya kazi	420x297		
195	Men Working Below	Wanaume wanafanya kazi chini	297x420		
196	Emergency Ladder	Ngazi ya dharura	297x420		
197	Warning Beware of Falling Objects	Tahadhari Jihadhari na Vitu Vinavyoanguka	297x420		
198	Danger Falling/ Dropped Objects	Hatari Vitu Kuanguka/vituvyoangukwa	297x420		
199	Caution Trip Hazard	Tahadhari Hatari ya kuanguka	297x420		
200	Warning Slippery Surface	Tahadhari Sakafu Inateleza	297x420		
201	Pedestrian Walkway	Njia ya Watembea kwa miguu	297x420		
202	Overhead Obstruction	Kizuizi mbele	420x297		
203	Handrails Not Installed Do Not Use	Vishikio mkono havijawekwa Usitumie	420x297		
204	No Climbing	Hakuna Kupanda	297x420		
205	Beware of Falling	Jihadharini na Kuanguka	297x420		
206	Workers Overhead	Wafanyakazi wako juu	420x297		
207	Caution Ionizing Radiation	Tahadhari mionzi ya ionizing	297x420		
208	Warning Fire Hazard	Tahadhari Hatari ya moto	297x420		
209	No Fire	Hakuna moto	297x420		
210	Flammable And Explosive Hazards Open Flames Are Strictly Prohibited	Vihatarishi vinavyoweza kuwaka na vilipuzi viwasha moto/vyanzo vya moto ni marufuku	420x297		
211	Caution Flammable	Tahadhari Inashika moto upesi	297x420		
212	Flammables are prohibited	Vitu vya kushika moto upesi ni marufuku	297x420		
213	Caution Lifting Area	Tahadhari Eneo la unyanvuaji	297x420		
214	Lifting In Progress	unyanyuaji unaendelea	420x297		
215	CPP Reinstatement Crew	Kundi la ulejeshaji la CPP	420x297		
216	Pipe Laying In Progress	Uwekaji wa Bomba Unaendelea	297x420		
217	CPP String Crew	Kundi la wahudumu wa kamba la CPP	420x297		
218	Blasting Area Please Keep Away	kaa mbali na eneo la mlipuko	420x297		
219	Beware Of Explosions	Jihadhari na mlipuko	420x297		
220	No Smoking	usivute Sigara	300x400		
221	Fire Extinguisher	Kizima Moto	300x400		
222	How to use a Fire Extinguisher	Jinsi ya kutumia Kizima Moto	300x400		
223	Fire Alarm	Kengele ya tahadhari ya moto	300x400		
224	Emergency Exit	Mlango wa dharura	420x297		
225	Correct Sitting Posture	Mkao sahihi	300x400		
226	Keep Area Clean	Weka Eneo Safi	300x400		
227	Deep Water Zone	Eneo la maji ya kina kirefu	420x297		
228	Warning Beware Of Falling Into Water	Jihadhari na Kuanguka Ndani ya Maji	297x420		
229	Climbing Prohibited	Hairuhusiwi Kupanda	420x297		
230	Crossing Prohibited	Hairuhusiwi Kuvuka	420x297		
231	Dangerous Pit Please Keep Away	Shimo hatarishi Kaa mbali	420x297		
232	Dangerous Mud Pit Keep Away	Shimo hatari la matope Kaa mbali	420x297		
233	Mud Discharge Is Strictly Prohibited	Marufuku kutoa matope	420x297		



234	Sewage Outlet	Sehemu ya kutolea maji taka	297x420		
235	CPP Case crossing crew	kikundi cha kuvuka kesi cha CPP	420x297		
236	Red sticker for equipment inspection		120x80		
237	Yellow sticker for equipment inspection		120x80		
238	Blue sticker for equipment inspection		120x80		
239	Green sticker for equipment inspection		120x80		